

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	21	("20020015847" "20020015874" "20020019187" "3823255" "4992331" "5116898" "5268051" "5447991" "5473016" "5498476" "5629078" "6063838" "6107385" "6200677" "6235658" "6355344" "6376068" "6436528" "6444309" "6773806" "0623658").PN.	US-PGPUB; USPAT	OR	ON	2009/03/25 16:36
S2	17	(winding adj (film or tape)) and "1% elongation"	US-PGPUB; USPAT	OR	ON	2009/03/26 08:54
S3	469	tesa.as.	US-PGPUB; USPAT	OR	ON	2009/03/26 08:58
S4	341	tesa.as. and film	US-PGPUB; USPAT	OR	ON	2009/03/26 08:58
S5	90	tesa.as. and film and flame	US-PGPUB; USPAT	OR	ON	2009/03/26 08:58
S6	2	"20020019187".pn. or "6235658".pn.	US-PGPUB; USPAT	OR	ON	2009/03/26 12:29
S7	8	"5473016".pn. or "5447991".pn. or "5268051".pn. or "2002015847".pn. or "6235658".pn. or "5116898".pn. or "3823255".pn. or "6376068".pn. or "6063838".pn.	US-PGPUB; USPAT	OR	ON	2009/03/26 12:34
S8	2364	(flexural adj modulus) and "428".clas.	US-PGPUB; USPAT	OR	ON	2009/03/26 12:40
S9	56	(flexural adj modulus) and 428/343,354,355R,356,355AC.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/26 12:41
S10	52	(flexural adj modulus) and (polypropylene or polypropene or pp or polipropene or propylene or propene) and 428/343,354,355R,356,355AC.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/26 12:44
S11	974	(crystal\$3 with melt\$3) and (polypropylene or polypropene or pp or polipropene) and (\$4isoprene or (natural with rubber) or latex or eva or (ethylene near vinyl near acet\$4) or \$4acrylate or \$4acrylic) and ((carbon adj black) or (amorphous adj carbon)) and ((flame or fire) adj retardant)	US-PGPUB; USPAT	OR	ON	2009/03/26 13:14
S13	291	(crystal\$3 with melt\$3) and (polypropylene or polypropene or pp or polipropene) and (\$4isoprene or (natural with rubber) or latex or eva or (ethylene near vinyl near acet\$4) or \$4acrylate or \$4acrylic) and ((carbon adj black) or (amorphous adj carbon)) and ((flame or fire) adj retardant) and flexural	US-PGPUB; USPAT	OR	ON	2009/03/26 13:16

SI4	285	((crystal\$3 with melt\$3) and (polypropylene or polypropene or pp or polypropene) and (\$4isoprene or (natural with rubber) or latex or eva or (ethylene near vinyl near acet\$4) or \$4acrylate or \$4acrylic) and (((carbon adj black) or (amorphous adj carbon)) and ((flame or fire) adj retardant) and flexural and copolymer	US-PGPUB; USPAT	OR	ON	2009/03/26 13:17
SI5	108	((crystal\$3 with melt\$3) and (polypropylene or polypropene or pp or polypropene) and (\$4isoprene or (natural with rubber) or latex or eva or (ethylene near vinyl near acet\$4) or \$4acrylate or \$4acrylic) and (((carbon adj black) or (amorphous adj carbon)) and ((flame or fire) adj retardant) and flexural and copolymer and (insulat\$3	US-PGPUB; USPAT	OR	ON	2009/03/26 13:18
SI6	194	((crystal\$3 with melt\$3) and (polypropylene or polypropene or pp or polypropene) and (\$4isoprene or (natural with rubber) or latex or eva or (ethylene near vinyl near acet\$4) or \$4acrylate or \$4acrylic) and (((carbon adj black) or (amorphous adj carbon)) and ((flame or fire) adj retardant) and flexural and copolymer and (insulat\$3 same wir\$3 or electric\$4)	US-PGPUB; USPAT	OR	ON	2009/03/26 13:30
SI7	59	((crystal\$3 with melt\$3) and (polypropylene or polypropene or pp or polypropene) and (\$4isoprene or (natural with rubber) or latex or eva or (ethylene near vinyl near acet\$4) or \$4acrylate or \$4acrylic) and (((carbon adj black) or (amorphous adj carbon)) and ((flame or fire) adj retardant) and flexural and copolymer and (insulat\$3 same (wir\$3 or electric\$4))	US-PGPUB; USPAT	OR	ON	2009/03/26 13:31
SI8	18	((thickness or caliper) and ((force with (machine adj direction)) same elongat\$4) and flexural	US-PGPUB; USPAT	OR	ON	2009/03/26 13:42
SI9	0	"0953599"	EPO	OR	ON	2009/03/26 13:45
S20	1	"953599"	EPO	OR	ON	2009/03/26 13:45
S22	40	((wire adj harness) and flexural and retardant	US-PGPUB; USPAT	OR	ON	2009/03/26 13:54
S23	10	("4992331" "5681654" "5705556" "5739200" "5755912" "5807450" "5829129" "5830545" "5846651").PN. OR ("6355344").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 14:39
S24	40	((wire adj harness\$5) and flexural and retardant	US-PGPUB; USPAT	OR	ON	2009/03/26 14:40
S25	50	((wir\$3 adj harness\$5) and flexural and retardant	US-PGPUB; USPAT	OR	ON	2009/03/26 14:42
S26	151	((wir\$3 adj harness\$5) and flexural	US-PGPUB; USPAT	OR	ON	2009/03/26 14:48
S30	255	((flexural adj modulus) and (harness\$3)	US-PGPUB; USPAT	OR	ON	2009/03/26 15:06
S31	63	((flexural adj modulus) and (harness\$3 with wir\$3) and force	US-PGPUB; USPAT	OR	ON	2009/03/26 15:12

S32	6	harness\$5 and sapa.as.	US-PGPUB; USPAT	OR	ON	2009/03/26 15:32
S33	1	"6355344".pn.	US-PGPUB; USPAT	OR	ON	2009/03/26 16:08
S34	241	(calcium adj hydroxide) with (flame adj retardant)	US-PGPUB; USPAT	OR	ON	2009/03/26 16:11
S35	873	(carbon adj black) with masterbatch	US-PGPUB; USPAT	OR	ON	2009/03/26 16:56
S36	174	((carbon adj black) with masterbatch) and "428".cls.	US-PGPUB; USPAT	OR	ON	2009/03/26 16:57
S37	406	((wir\$5 or cabl\$5 or electric\$5) adj (harness \$5 or insulat\$5 or tap\$5)) and 428/212,213,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/27 07:55
S38	17	((wir\$5 or cabl\$5 or electric\$5) adj (harness \$5 or insulat\$5 or tap\$5)) and 428/212,213,219,220.ccls. and flexural	US-PGPUB; USPAT	OR	ON	2009/03/27 07:56
S39	3	((wir\$5 or cabl\$5 or electric\$5) adj (harness \$5 or insulat\$5 or tap\$5)) and 428/212,213,219,220.ccls. and flexural and elongation	US-PGPUB; USPAT	OR	ON	2009/03/27 07:58
S40	38	force with "1% elongation"	US-PGPUB; USPAT	OR	ON	2009/03/27 09:09
S42	2	"6235658".pn. or "20020019187".pn.	US-PGPUB; USPAT	OR	ON	2009/03/27 09:14
S43	176	((wir\$5 or cabl\$5 or electric\$5) adj (harness \$5 or insulat\$5 or tap\$5)) and 428/212,213,219,220.ccls. and (\$4propylene or \$4propene)	US-PGPUB; USPAT	OR	ON	2009/03/27 09:24
S44	1957	(thickness or caliper) and (force same elongat\$4) and flexural	US-PGPUB; USPAT	OR	ON	2009/03/27 09:26
S45	54	(thickness or caliper) and (force same elongat\$4) and flexural and harness\$3	US-PGPUB; USPAT	OR	ON	2009/03/27 09:27
S46	171	force with "100% elongation"	US-PGPUB; USPAT	OR	ON	2009/03/27 09:37
S48	15	force with ("100% elongation" or "100% elongated") and harness\$4	US-PGPUB; USPAT	OR	ON	2009/03/27 09:38
S49	92	(halogen adj free) and harness\$4	US-PGPUB; USPAT	OR	ON	2009/03/27 09:40
S50	53	(halogen adj free) and harness\$4 and elongat\$4	US-PGPUB; USPAT	OR	ON	2009/03/27 09:40
S51	1	428/341.ccls. and harness\$4	US-PGPUB; USPAT	OR	ON	2009/03/27 10:28
S52	26	(halogen adj free) and harness\$4 and (crystal\$5 same \$4propylene)	US-PGPUB; USPAT	OR	ON	2009/03/27 10:30
S53	13	("3758643" "3821333" "3835201" "3862106" "3941859" "4412938" "5470902" "6034162").PN. OR ("6200679").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/27 10:31
S54	11	S53 and (\$4propylene or \$4propene)	US-PGPUB; USPAT	OR	ON	2009/03/27 10:33
S55	6	S53 and (\$4propylene or \$4propene) and crystal\$4	US-PGPUB; USPAT	OR	ON	2009/03/27 10:53
S56	251	(halogen adj free) and (harness\$4 or jacket) and (melt or fusion)	US-PGPUB; USPAT	OR	ON	2009/03/27 12:13

S57	135	{(halogen adj free) and (harness\$4 or jacket) and (melt\$4 adj point)}	US-PGPUB; USPAT	OR	ON	2009/03/27 12:18
S58	14	{(halogen adj free) and (harness\$4 or jacket) and "N/cm"}	US-PGPUB; USPAT	OR	ON	2009/03/27 12:30
S59	15	{(halogen adj free) and (harness\$4 or jacket) and ("N/cm" or "lbs/in" or "oz/in" or "N/m")}	US-PGPUB; USPAT	OR	ON	2009/03/27 12:31
S60	14	US-20050115664-\$.D.ID. OR US-3264272-\$.D.ID. OR US-5198301-\$.D.ID. OR US-5498476-\$.D.ID. OR US-5629078-\$.D.ID. OR US-6045882-\$.D.ID. OR US-6107385-\$.D.ID. OR US-6200677-\$.D.ID. OR US-6355344-\$.D.ID. OR US-6376068-\$.D.ID. OR US-6432527-\$.D.ID. OR US-6436528-\$.D.ID. OR US-6444309-\$.D.ID. or "6773806".pn.	US-PGPUB; USPAT	OR	ON	2009/03/27 12:40
S61	21	{"20020015847" "20020015874" "20020019187" "3823255" "4992331" "5116898" "5268051" "5447991" "5473016" "5498476" "5629078" "6063838" "6107385" "6200677" "6235658" "6355344" "6376068" "6436528" "6444309" "6773806" "0623658").PN.	US-PGPUB; USPAT	OR	ON	2009/03/27 12:42
S64	11	{S60 or S61} and force	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/27 12:43
S65	1	"368243"	EPO	OR	ON	2009/03/27 13:27
S66	7	"368243" or "469354" or "508415" or "953599" or "1000992" or "1097976" or "1123958"	EPO	OR	ON	2009/03/27 13:29
S67	1	"10333709"	US-PGPUB; USPAT	OR	ON	2009/03/27 13:37
S68	110255	carbon adj black	US-PGPUB; USPAT	OR	ON	2009/03/28 12:28
S69	1157	{(carbon adj black) near5 ph}	US-PGPUB; USPAT	OR	ON	2009/03/28 12:29
S70	22	{((carbon adj black) near5 ph) same aging}	US-PGPUB; USPAT	OR	ON	2009/03/28 12:29
S71	30	{((carbon adj black) with ph) and harness}	US-PGPUB; USPAT	OR	ON	2009/03/28 12:31
S72	0	{((carbon adj black) with ph) and (wiring adj harness)}	US-PGPUB; USPAT	OR	ON	2009/03/28 12:43
S73	0	{((carbon adj black) with ph) and (wiring adj harness)}	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/28 12:44
S74	782	{(carbon adj black) adj3 ph}	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/28 12:45
S75	1831052	{((carbon adj black) adj3 ph) and tape or wir\$3}	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/28 12:45
S76	344	{((carbon adj black) adj3 ph) and (tape or wir\$3)}	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/28 12:45

S77	326	((carbon adj black) adj3 ph) and (tape or wir\$3)	US-PGPUB; USPAT	OR	ON	2009/03/28 12:46
S78	374	((carbon adj black) adj3 ph) and polypropylene	US-PGPUB; USPAT	OR	ON	2009/03/28 12:48
S79	21	((carbon adj black) adj3 ph) same polypropylene	US-PGPUB; USPAT	OR	ON	2009/03/28 12:48
S80	84	((carbon adj black) adj3 ph) and polypropylene and (cabl\$3 or wir\$3 or harness\$2)	US-PGPUB; USPAT	OR	ON	2009/03/28 13:03
S83	159	((carbon adj black) near5 ph) and polypropylene and (cabl\$3 or wir\$3 or harness\$2)	US-PGPUB; USPAT	OR	ON	2009/03/28 13:04
S84	1	"4994520".pn.	US-PGPUB; USPAT	OR	ON	2009/03/29 12:59
S85	1	"10333709"	US-PGPUB; USPAT	OR	ON	2009/03/29 14:01

3/ 29/ 2009 2:11:02 PM

C:\work\applications\10529092_winding_film\search\main.wsp